Author Index

Volume 4

Alhilali, K. A. and Damuth, J. E.: Slide block (?) of Jurassic sandstone and submarine channels in the basal Upper Cretaceous of the Viking Graben: Norwegian North Sea, 35
Archer, J. S. and Hurst, A.: Evaluation of formation damage in heterogeneous reservoirs, 119

Brown, K. M. and Westbrook, G. K.: The tectonic fabric of the Barbados Ridge accretionary complex, 71

Childs, J. R.: *see* Geist, E. L., 334

Damuth, J. E.: *see* Alhilali, K. A., 35
Davies, D. R.: *see* Lievaart, L., 127
Davies, G. R.: *see* Goodarzi, F., 132
Dawe, R. A.: *see* Lever, A., 112
Dewey, J. F.: *see* Karner, G. D., 94

Ece, O. I.: Stratigraphy, paleogeography and depositional environments of the Upper Middle Carboniferous (Desmoinesian) cyclothemic Excello Black Shale of the Midcontinent Region, USA, 243
Edrich, S. P.: *see* Hubbard, R. J., 2
Elzarka, M. H. and Younes, M. A. A.: Generation, migration, and accumulation of oil of El–Ayun Field, Gulf of Suez, Egypt, 320

Geist, E. L., Childs, J. R. and Scholl, D. W.: The evolution and petroleum geology of Amlia and Amukta Intra–Arc summit basins, Aleutian Ridge, 334
Giles, M. R.: Mass transfer and problems of secondary porosity creation in deeply buried hydrocarbon reservoirs, 188
Goodarzi, F., Nassichuk, W. W., Snowdon, L. R. and Davies, G. R.: Organic petrology and RockEval analysis of the Lower Carboniferous Emma Fiord Formation in Sverdrup Basin, Canadian Arctic Archipelago, 132
Goodarzi, F., and Higgins, A. C.: Optical properties of scolecodonts and their use as indicators of thermal maturity, 353

Haile, N. S.: Comment — Time and Age in Geology: the use of upper/lower, late/early in stratigraphic nomenclature, 255
Hayward, A. B.: *see* Watson, M. P., 205
Higgins, A. C.: *see* Goodarzi, F., 353
Hinz, K., Mutter, J. C., Zehnder, C. M. and the NGT Study Group: Symmetric conjugation of continent–ocean boundary structures along the Norwegian and East Greenland Margins, 166
Hubbard, R. J., Edrich, S. P. and Rattey, R. P.: Geologic evolution and hydrocarbon habitat of the 'Arctic Alaska Microplate', 2
Hurst, A.: Mineralogical analysis and the evaluation of the petrophysical parameter V_{shale} for reservoir description, 82
Hurst, A.: *see* Archer, J. S., 119

Iman, M. B. and Shaw, H. F.: Diagenetic controls on the reservoir properties of gas bearing Neogene Surma Group sandstones in the Bengal Basin, Bangladesh, 103

Karner, G. D., Weissel, J. K., Dewey, J. F. and Munday, T. J.: Geotectonic imaging of the north–western European continent and shelf, 94

Lever, A. and Dawe, R. A.: Clay migration and entrapment in synthetic porous media, 112
Lievaart, L. and Davies, D. R.: The role of fines during acidizing treatments, 127

Mauffret, A. and Montadert, L: Rift tectonics on the passive continental margin off Galicia (Spain), 49
Montadert, L.: *see* Mauffret, A., 49
Morton, N.: Jurassic subsidence history in the Hebrides, N. W. Scotland, 226
Munday, T. J.: *see* Karner, G. D., 94
Mutter, J. C.: *see* Hinz, K., 166

Nassichuk, W. W.: *see* Goodarzi, F., 132
NGT Study Group: *see* Hinz, K., 166
Normark, W. R.: *see* O'Connell, S., 308

O'Connell, S., Ryan, W. B. F. and Normark, W. R.: Modes of development of slope canyons and their relation to channel and levee features on the Ebro sediment apron, off–shore Northeastern Spain, 308

Parkinson, D. N.: *see* Watson, M. P., 205

Rattey, R. P.: *see* Hubbard, R. J.,2
Ryan, W. B. F.: *see* O'Connell, S., 308

Scholl, D. W.: *see* Geist, E. L., 334
Shaw, H. F.: *see* Imam, M. B., 103
Snowdon, L. R.: *see* Goodarzi, F., 132

Watson, M. P., Hayward, A. B., Parkinson, D. N. and Zhang, Zh. M.: Plate tectonic history, basion development and petroleum source rock deposition onshore China, 205
Watts, N. L.: Theoretical aspects of cap–rock and fault seals for single– and two–phase hydrocarbon columns, 274
Weissel, J. K.: *see* Karner, G. D., 94
Westbrook, G. K: *see* Brown, K. M., 71

Younes, M. A. A.: *see* Elzarka, M. H., 320

Zehnder, C. M.: *see* Hinz, K., 166
Zhang, Zh. M: *see* Watson, M. P., 205

Author Index

Volume 4

Alhilali, K. A. and Damuth, J. E.: Slide block (?) of Jurassic sandstone and submarine channels in the basal Upper Cretaceous of the Viking Graben: Norwegian North Sea, 35
Archer, J. S. and Hurst, A.: Evaluation of formation damage in heterogeneous reservoirs, 119

Brown, K. M. and Westbrook, G. K.: The tectonic fabric of the Barbados Ridge accretionary complex, 71

Childs, J. R.: *see* Geist, E. L., 334

Damuth, J. E.: *see* Alhilali, K. A., 35
Davies, D. R.: *see* Lievaart, L., 127
Davies, G. R.: *see* Goodarzi, F., 132
Dawe, R. A.: *see* Lever, A., 112
Dewey, J. F.: *see* Karner, G. D., 94

Ece, O. I.: Stratigraphy, paleogeography and depositional environments of the Upper Middle Carboniferous (Desmoinesian) cyclothemic Excello Black Shale of the Midcontinent Region, USA, 243
Edrich, S. P.: *see* Hubbard, R. J., 2
Elzarka, M. H. and Younes, M. A. A.: Generation, migration, and accumulation of oil of El–Ayun Field, Gulf of Suez, Egypt, 320

Geist, E. L., Childs, J. R. and Scholl, D. W.: The evolution and petroleum geology of Amlia and Amukta Intra–Arc summit basins, Aleutian Ridge, 334
Giles, M. R.: Mass transfer and problems of secondary porosity creation in deeply buried hydrocarbon reservoirs, 188
Goodarzi, F., Nassichuk, W. W., Snowdon, L. R. and Davies, G. R.: Organic petrology and RockEval analysis of the Lower Carboniferous Emma Fiord Formation in Sverdrup Basin, Canadian Arctic Archipelago, 132
Goodarzi, F., and Higgins, A. C.: Optical properties of scolecodonts and their use as indicators of thermal maturity, 353

Haile, N. S.: Comment — Time and Age in Geology: the use of upper/lower, late/early in stratigraphic nomenclature, 255
Hayward, A. B.: *see* Watson, M. P., 205
Higgins, A. C.: *see* Goodarzi, F., 353
Hinz, K., Mutter, J. C., Zehnder, C. M. and the NGT Study Group: Symmetric conjugation of continent–ocean boundary structures along the Norwegian and East Greenland Margins, 166
Hubbard, R. J., Edrich, S. P. and Rattey, R. P.: Geologic evolution and hydrocarbon habitat of the 'Arctic Alaska Microplate', 2
Hurst, A.: Mineralogical analysis and the evaluation of the petrophysical parameter V_{shale} for reservoir description, 82
Hurst, A.: *see* Archer, J. S., 119

Iman, M. B. and Shaw, H. F.: Diagenetic controls on the reservoir properties of gas bearing Neogene Surma Group sandstones in the Bengal Basin, Bangladesh, 103

Karner, G. D., Weissel, J. K., Dewey, J. F. and Munday, T. J.: Geotectonic imaging of the north–western European continent and shelf, 94

Lever, A. and Dawe, R. A.: Clay migration and entrapment in synthetic porous media, 112
Lievaart, L. and Davies, D. R.: The role of fines during acidizing treatments, 127

Mauffret, A. and Montadert, L: Rift tectonics on the passive continental margin off Galicia (Spain), 49
Montadert, L.: *see* Mauffret, A., 49
Morton, N.: Jurassic subsidence history in the Hebrides, N. W. Scotland, 226
Munday, T. J.: *see* Karner, G. D., 94
Mutter, J. C.: *see* Hinz, K., 166

Nassichuk, W. W.: *see* Goodarzi, F., 132
NGT Study Group: *see* Hinz, K., 166
Normark, W. R.: *see* O'Connell, S., 308

O'Connell, S., Ryan, W. B. F. and Normark, W. R.: Modes of development of slope canyons and their relation to channel and levee features on the Ebro sediment apron, off–shore Northeastern Spain, 308

Parkinson, D. N.: *see* Watson, M. P., 205

Rattey, R. P.: *see* Hubbard, R. J.,2
Ryan, W. B. F.: *see* O'Connell, S., 308

Scholl, D. W.: *see* Geist, E. L., 334
Shaw, H. F.: *see* Imam, M. B., 103
Snowdon, L. R.: *see* Goodarzi, F., 132

Watson, M. P., Hayward, A. B., Parkinson, D. N. and Zhang, Zh. M.: Plate tectonic history, basion development and petroleum source rock deposition onshore China, 205
Watts, N. L.: Theoretical aspects of cap–rock and fault seals for single– and two–phase hydrocarbon columns, 274
Weissel, J. K.: *see* Karner, G. D., 94
Westbrook, G. K: *see* Brown, K. M., 71

Younes, M. A. A.: *see* Elzarka, M. H., 320

Zehnder, C. M.: *see* Hinz, K., 166
Zhang, Zh. M: *see* Watson, M. P., 205

Subject Index

Volume 4

Accretionary complex: The tectonic fabric of the Barbados Ridge ——, 71

Acidizing treatments: The role of fines during ——, 127

Age: Time and —— in Geology: the use of upper/lower, late/early in stratigraphic nomenclature, 255

Aleutian ridge: Evolution and petroleum geology of Amlia and Amukta intra–arc summit basins, ——, 334

Arctic Alaska Microplate: Geologic evolution and hydrocarbon habitat of the ——, 2

Basin analysis: Geologic evolution and hydrocarbon habitat of the 'Artic Alaska Microplate', 2

Basin development: Plate tectonic history, —— and petroleum source rock deposition onshore China, 205

Barbados Ridge: The tectonic fabric of the —— accretionary complex, 71

Bengal Basin: diagenetic controls on the reservoir properties of gas bearing Neogene Surma Group sandstones in the ——, Bangladesh, 103

Cap-rock seals: Theoretical aspects of —— and fault seals for single– and two-phase hydrocarbon columns, 274

Channel: Modes of development of slope canyons and their relation to —— and levee features on the Ebro sediment apron, off-shore northeastern Spain, 308

Clay migration and entrapment in synthetic porous media, 112

Clay mineralogy: Mineralogical analysis and the evaluation of the petrophysical parameter V_{shale} for reservoir description, 82

Clays: The role of fines during acidizing treatments, 127

Continent–ocean bounday: Symmetric conjugation of —— structures along the Norwegian and East Greenland Margins, 166

Depositional environments: Stratigraphy, paleogeography and —— of the Upper Middle Carboniferous (Desmoinesian) cyclothemic Excello Black Shale of the Midcontinent Region, USA, 243

Desmoinesian: Stratigraphy, paleogeography and depositional environments of the Upper Middle Carboniferous —— cyclothemic Excello Black Shale of the Midcontinent Region, USA. 243

Diagenetic history: Diagenetic controls on the reservoir properties of gas bearing Neogene Surma Group sandstones in the Bengal Basin, Bangladesh, 103

East Greenland Margins: Symmetric conjugation of continent–ocean boundary structures along the Norwegian and ——, 166

Ebro sediment apron: Modes of development of slope canyons and their relation to channel and levee features on the ——, off–shore northeastern Spain, 308

El–Ayun Field: Generation, migration and accumulation of oil of ——, Gulf of Suez, Egypt, 320

Evolution and petroleum geology of Amlia and Amukta intra–arc summit basins, Aleutian ridge, 334

Excello Black Shale: Stratigraphy, paleogeography and depositional environments of the Upper Middle Carboniferous (Desmoinesian) cyclothemic —— of the Midcontinent Region, USA, 243

Fault seals: Theoretical aspects of caprock seals and —— for single– and two-phase hydrocarbon columns, 274

Fines: The role of —— during acidizing treatments, 127

Fluorescence: Organic petrology and RockEval analysis of the Lower Carboniferous Emma Fiord Formation in Sverdrup Basin, Canadian Arctic Archipelago, 132

Formation damage: Clay migration and entrapment in synthetic porous media, 112

Formation damage: Evaluation of —— in heterogeneous reservoirs, 119

Galicia (Spain): rift tectonics on the passive continental margin off ——, 49

Geophysical data banks: Geotectonic imaging of the north–western European continent and shelf, 94

Geotectonic imaging of the northwestern European continent and shelf, 94

Hebrides: Jurassic subsidence history in the ——, N. W. Scotland, 226

Hydrocarbon columns, single-phase: Theoretical aspects of cap-rock seals and fault seals for single- and two-phase hydrocarbon columns, 274

Hydrocarbon columns, two-phase: Theoretical aspects of cap-rock seals and faults seals for single- and two-phase hydrocarbon columns, 274

Hydrocarbon habitat: Geological evolution and —— of the 'Artic Alaska Microplate', 2

Hydrocarbon reservoirs: Mass transfer and problems of secondary porosity creation in deeply buried ——, 188

Intra-arc summit basins: Evolution and petroleum geology of Amlia and Amukta ——, Aleutian ridge, 334

Jurassic sandstone: Slide block (?) of —— and submarine channels in the basal Upper Cretaceous of the Viking Graben: Norwegian North Sea, 35

Jurassic subsidence history in the Hebrides, N. W. Scotland, 226

Levee: Modes of development of slope canyons and their relation to channel and —— features on the Ebro sediment apron, off-shore northeastern Spain, 308

Lower Carboniferous: Organic petrology and RockEval analysis of the —— Emma Fiord Formation in Sverdrup Basin, Canadian Arctic Archipelago, 132

Mass transfer and problems of secondary porosity creation in deeply buried hydrocarbon reservoirs, 188

Neogene reservoir sandstones: Diagenetic controls on the reservoir properties of gas bearing Neogene Surma Group sandstones in the Bengal Basin, Bangladesh, 103

North-western Europe: Geotectonic imaging of the —— continent and shelf, 94

Norwegian Margin: Symmetric conjugation of continent–ocean boundary structures along the —— and East Greenland Margins, 166

Oil accumulation: Generation, migration and accumulation of oil of El–Ayun Field, Gulf of Suez, Egypt, 320

Oil generation: Generation, migration, and accumulation of oil of El–Ayun Field, Gulf of Suez, Egypt, 320

Oil migration: Generation, migration, and accumulation of oil of El–Ayun Field, Gulf of Suez, Egypt, 320

Onshore China: Plate tectonic history, basin development and petroleum source rock deposition ——, 205

Optical properties of scolecodonts and their use as indicators of thermal maturity, 353

Paleogeography: Stratigraphy, —— and depositional environments of the Upper Middle Carboniferous (Desmoinesian) cyclothemic Excello Black Shale of the Midcontinent Region, USA, 243

Passive continental margin: Rift tectonics on the —— off Galicia (Spain), 49
Petroleum geology: Evolution and —— of Amlia and Amukta intra–arc summit basins, Aleutian ridge, 334
Petroleum source rock deposition: Plate tectonic history, basin development and —— onshore China, 205
Plate tectonics: —— history, basin development and petroleum source rock deposition onshore China, 205

Reflectance: Organic petrology and RockEval analysis of the Lower Carboniferous Emma Fiord Formation in Sverdrup Basin, Canadian Arctic Archipelago, 132
Reservoir characterization: Evaluation of formation damage in heterogeneous reservoirs, 119
Reservoir modelling: Evaluation of formation damage in heterogeneous reservoirs, 119
Rift tectonics on the passive continental margin off Galicia (Spain), 49
RockEval: Organic petrology and —— analysis of the Lower Carboniferous Emma Fiord Formation in Sverdrup Basin, Canadia Arctic Archipelago, 132

Scolecodonts: Optical properties of —— and their use as indicators of thermal maturity, 353
SEASAT: Geotectonic imaging of the north-western European continent and shelf, 94
Secondary porosity: Mass transfer and problems of —— creation in deeply buried hydrocarbon reservoirs, 188
Seismic reflection sections: The tectonic fabric of the Barbados Ridge accretionary complex, 71
Side-scan sonar: The tectonic fabric of the Barbados Ridge accretionary complex, 71
Slide block (?) of Jurassic sandstone and submarine channels in the basal Upper Cretaceous of the Viking Graben: Norwegian North Sea, 35
Slope canyons: Modes of development of —— and their relation to channel and levee features on the Ebro sediment apron, off-shore northeastern Spain, 308
Spain, N. E. off-shore: Modes of development of slope canyons and their relation to channel and levee features on the Ebro sediment apron, ——, 308
Stratigraphic nomenclature: Time and Age in Geology: the use of upper/lower, late/early in ——, 255
Stratigraphy, paleogeography and depositional environments of the Upper Middle Carboniferous (Desmoinesian) cyclothemic Excello Black Shale of the Midcontinent Region, USA, 243
Submarine channels: Slide block (?) of Jurassic sandstone and —— in the basal Upper Cretaceous of the Viking Graben: Norwegian North Sea, 35
Subsidence: Jurassic —— history in the Hebrides, N. W. Scotland, 226
Suez Gulf: Generation, migration, and accumulation of oil of El–Ayun Field, ——, Egypt, 320
Symmetry: Symmetric conjugation of continent–ocean boundary structures along the Norwegian and East Greenland Margins, 166

Thermal maturity: Optical properties of scolecodonts and their use as indicators of ——, 320
Time and Age in Geology: the use of upper/lower, late/early in stratigraphic nomenclature, 255

Upper Cretaceous, basal: Slide block (?) of Jurassic sandstone and submarine channels in the —— of the Viking Graben: Norwegian North Sea, 35

Viking Graben: Norwegian North Sea: Slide block (?) of Jurassic sandstone and submarine channels in the basal Upper Cretaceous of the ——, 35

Water saturation: Mineralogical analysis and the evaluation of the petrophysical parameter V_{shale} for reservoir description, 82
Water–sensitivity: Clay migration and entrapment in synthetic porous media, 112
Wireline logs: Mineralogical analysis and the evaluation of the petrophysical parameter V_{shale} for reservoir description, 82

Zonation: Evaluation of formation damage in heterogeneous reservoirs, 119